

BS-301B

SPEAKER SYSTEM



BS-301 Compact satellite speaker system can produce effective acoustic sounds in commercial spaces like restaurants, cafés and retail stores. There are 4 small satellite speakers that conform to the design of the commercial space and

can be installed using metal fittings attachments to produce suitable acoustic sounds even in complex spaces.

The subwoofer, which can be temporarily or permanently installed, are capable of reinforcing the projection of ideal sounds.


Key features

- Consists of a set of 4 satellite speakers and a subwoofer, which are individually fitted with its own mounting brackets
- Compact and highly efficient in performance
- The mounting brackets fitted onto the satellite speakers can be for 1 speaker or 2 speakers installation

Specifications

Power Handling	Continuous program: 160 W* x2 channels Continuous pink noise: 80 W* x2 channels
Rated Impedance	4 Ω * x2 channels
Sensitivity	81 dB (1 W, 1 m)* x2 channels
Frequency Response	40 Hz - 20 kHz* x2 channels
Weight	13.9 kg (30.64 lb) (excluding mounting bracket)
Included Accessories	Subwoofer mounting bracket (black)...4, Rubber foot and fixing screw for subwoofer...4, Subwoofer mounting screw...4, Satellite speaker mounting bracket (black)...6, Satellite speaker mounting screw ...8, Sticker for satellite speaker (black)...8
Subwoofer	Rated impedance: 6 Ω x2 channels Speaker component: 16 cm (6.5) cone-type x2 channels" Finish: Front panel...ABS resin, black Enclosure...Wood, black Speaker bracket...Steel plate, black, paint Dimensions: 210 (W) x 390 (H) x 563 (D) mm (8.27 x 15.35" x 22.17") Weight: 11.5 kg (25.35 lb) (excluding mounting bracket)
Satellite Speaker	Rated impedance: 8 Ω Speaker component: 8 cm (3) cone-type Finish: Enclosure, Front panel...HIPS resin, black Speaker bracket...Steel plate, black, paint Dimensions: 92 (W) x 97.5 (H) x 100 (D) mm (3.62 x 3.84" x 3.94") Weight: 600 g (1.32 lb) (excluding mounting bracket)
Product Composition	Subwoofer...1, Satellite speaker...4

Dimensions




UNIT:mm


Note: Screw to mount the bracket are not provided.

Dimensions

Satellite Speaker



Front View



Side View







Figure as viewed from point A



Rear View




Dimensions of wall or ceiling mount hole




Satellite speaker mounting bracket


Ceiling mounted View




Wall mounted View



Side View



Top View



A&E specifications

Satellite speaker system with 1 subwoofer and 4 satellite speakers, black, ABS front panel, wooden enclosure (Subwoofer) or HIPS (satellites)