


HY-PF1W

SPEAKER RIGGING FRAME




The HY-PF1W is used exclusively to suspend the HX-5 speaker system from the ceiling. The FB-120 series Subwoofer can be suspended using this frame and the frame's supplied mounting brackets. This bracket is designed for indoor use.

Key features

Specifications

| | |
|----------------------|--|
| Finish | Steel plate, white, semi-gloss paint |
| Dimensions | 550 (W) x 50 (H) x 512 (D) mm |
| Weight | 3.6 kg |
| Included Accessories | Subwoofer mounting bracket ...4, Bracket fixing bolt (M8) with washer ...4, Subwoofer mounting bolt (M8) with washer ...4, Bracket fixing nut (M8) ...4, Bracket fixing washer (M8) ...4 |

Dimensions



Hanging the HX-5B



Holes A are used for hanging between the HY-PF1B and the HX-5B, and also between the HY-PF1B and the ceiling (3-point hanging).

Hanging the HX-5B with the FB-120B mounted

Holes A are used for hanging between the HY-PF1B and the HX-5B (3-point hanging), and Holes B for hanging between the HY-PF1B and the ceiling (4-point hanging).

Hanging the FB-120B

Holes B are used for hanging between the HY-PF1B and the ceiling (4-point hanging).



Example for HX-5B and FB-120B mounting

UNIT:mm

* Note: Wires, anchor shackles, and carabiners necessary for hanging are not supplied with the product.